



MADE FOR USA



ETL RANGE - USA & CANADA

SIMPLE, INTUITIVE, SMART FUEL MANAGEMENT SYSTEM SPECIFICALLY ENGINEERED FOR THE USA



MADE IN ITALY

PIUSI B.SMART

BESMART AND ENTER THE NEW-> ERA OF FLEET MANAGEMENT!



PIUSI B.SMART: NEW FUEL MANAGEMENT SYSTEM

B.SMART MCBOX

MADE IN ITALY

PRESE

PIUSI

PIUSI B.SMART: the name speaks for itself! An intuitive and simple Fuel Management System!

B.SMART is composed of hardware **MCBOX B.SMART** and software (APP for drivers and a web APP on Cloud for fleet managers) driven by **Bluetooth** technology to easily monitor and manage any fleet; from the smallest to the largest.

Made in Italy by the top-quality Italian manufacturer, PIUSI, but specifically engineered for the USA, B.SMART has an innovative core providing users and managers with a streamlined and easy-to-use experience.

Are you ready for the future?

3

Interte

B.SMART

PIUSI B.SMART: WHY CHOOSE THE PIUSI FMS?

While the FMS market is full of many solutions, **PIUSI B.SMART** stands out for its distinctive characteristics:

- Simple: you just need a smartphone and Bluetooth to make it work;
- Cloud-based: no local network required;
- APP-based: it works with an intuitive and simple APP;
- Expandable: the same software fits any fleet size;
- Multi-customer/multi-site management: manage control units located in different geographical locations thanks to its Cloud-based system;
- Two-hose FMS;
- Remote access app-based with NO FEES: no rental or recurring fees;
- Key-pad in case of no smart-device availability.

PIUSI B.SMART is a unique all-in-one FMS: the MCBOX hardware, as well as the B.SMART software and all the pumping system components (sold separately) are all made in house by the same Italian manufacturer, PIUSI. The only Company in the market!




PIUSI B.SMART: MONITOR & MANAGE YOUR FUELING TRANSACTIONS



ONE SOFTWARE, MULTIPLE CONTROL UNITS SUITABLE FOR ANY FLEET SIZE

EXAMPLE A Single-site installation with one hose





PIUSI B.SMART is a uniquely expandable system: the software is always included "in the box" and is suitable for any fleet size: from the smallest to the largest, single and multi-site.

As the PIUSI B.SMART software is **Cloud based**, it doesn't require any installation on a local PC to allow fleet managers to **check the site from anywhere** and monitor fuel transactions.

EXAMPLE B Single-site installation with two hoses



PIUSI B.SMART AS SIMPLE AS A CLICK

FILL IN THE INFORMATION

✻测

The APP for drivers just requires a smart device with Bluetooth to work properly: **once the APP** is open, the smart device immediately connects to the MCBOX B.SMART to start the refueling operation.

DISPENSER

Choose the dispenser

VEHICLE

Choose the vehicle or insert the registration number

ODOMETER

Insert the mileage



✻测

REFUELING

MIN

PRESET/FILL THE TANK

Choose the preset option or fill the tank according to your need

RECEIPT

Once stopped, a receipt is displayed on the smart device (and in real time* on the manager's Web APP)

TOTAL

0

Check the ongoing transaction on your device or on the control unit's display

* Real time only in areas where Wi-Fi or mobile network is available. Otherwise, data will be synchronized once network is accessible.

piusi.com/usa

PIUSI B.SMART: ADVANTAGES FOR DRIVERS



PIUSI B.SMART is specifically developed to **support and simplify all refueling operations** both on the drivers' and **o**n the manager's side:

> IT CAN BE USED ALSO WITH A REMOTE FIXED TABLET** INSTALLATION

1C

- It requires only a smart device to work; driver key or PIN is not required
- It works with all **iOS** and **Android** mobile devices
 - The B.SMART APP is available both on **APPLESTORE** or **PLAYSTORE** simple to find and free to download
- As the APP is connected via **Bluetooth** and it works even if no network is available*
- If needed, the system can also work with the optional driver key or user PIN

key-pad in case of no smart-device availability

> * Transactions will be transferred once the network is available again.
> **Not provided



IIN

3B.SMART

Local

PIUSI B.SMART: ADVANTAGES FOR MANAGERS

PIUSI B.SMART is a Fuel Management System that takes advantage of **Cloud technology** software to control and manage the fleet:

- **No software installation** required (Cloud based)
- Quick and easy to use; Saving time and money
- Expandable and suitable for any fleet size; utilizing the same software (no upgrade required)
- Real time feedback from the site*

API

Connect your ERP to B.SMART with the integrated API interface.

*Real time only in areas where Wi-Fi or mobile network is available. Otherwise, data will be synchronized once network is accessible.

MANAGE THE SITE: SET, ACTIVATE AND MONITOR YOUR SITE



PIUSI B.SMART allows you to enter all the parameters useful to **manage the site properly**: locations, fuel dispenser names, drivers, vehicle categories and vehicles:

Easy installation procedure

- Unique code to identify each site
- Detailed icons help to easily identify dispensers for a complete overview of installed devices
- Avatar of all drivers

CHECK

All information is under control.



CHECK REFUELING TRANSACTIONS: ALL TRANSACTIONS AT A GLANCE


PIUSI B.SMART allows you to **keep track of all the transactions** and refueling operations made. A user-friendly interface helps **gather** and **filter** information to get real control at a glance:

- Check and control transactions
- Receive and download the related receipts
- Export data to .pdf or .xlsx

| | B.SMART | | × | + | | | | | | | | | | | | | | | |
|--------------|---------------------|------|---------|-----------|---------|------|---------|-----|-------------|------------|-----------|---------------------|-------------------------------|----------------------|---------------------|----------------|---------------------|-----------|--------|
| 28.51 | NART | | | | | | | | | | | | | LO | GOUT | | | | |
| | REPORT | | | | | | | | | | | | | | | | | | |
| \mathbf{O} | Range From | 30 A | pr 2019 | To 0 | 7 May 2 | 2019 | | | | | | | | | | | | | |
| DRIVERS | Filters DISP | • | | Apr 20 | 19 | | ► PUM | PS | | | | | T | | | | | | |
| | Group By Date | Mon | Tue + | Wed Thu | Fri | Sat | Sun | | | | | B.5M4 | રા | | | | | LOG | IOUT |
| | | 1 | 2 | 3 4 | 5 | 6 | 7 | | | | 0 | REPO | RT | | | | | | |
| SITE | CREATE REPORT EXPOR | 8 | 9 | 10 11 | 12 | 13 | 14 | | | | DRIVERS | | From 30 | Apr 2019 To 07 | 2040 | | | | |
| | 70 | 15 | 16 | 17 18 | 19 | 20 | 21 | | | | | Range | DISPENSER | | | RS PUMPS | | | |
| | 2.2 | 22 | 23 | 24 25 | 26 | 27 | 28 | | | | SITE | Filters Group By | DISPENSER | | DRIVE | PUMPS | | | |
| REG. NUMBER | 60 | 29 | 30 | | | | | | | | - | broop by | Conte | - | | | | - | |
| | 50 | | | | | | | | | | REG. NUM. | CREATE REP | ORT EXPORT PDF | EXPORT EXCEL | | | XP | OR | L |
| | 40 | | | | | | | | 39.62 Li | | | 70 | | | | P | nloa | 1 11 | |
| REPORT | *** | | | | | | | | 39.62 LA | ters | REPORT | | | | | | | | |
| | 30 | | | | | | | | | | - | 60 | | | | | he pr | | |
| Combine r | ecords | L., | | | | | | | | | SETTINGS | 50 | | | - 1 | t | ile fo | rma | t. |
| to better | | | | | | | | | | | SETTINGS | 40 | | | | _ | - | - | |
| informa | | | | | | | | | | | | 30 | | 28. | 63 Liters | | | | |
| | | | 05 | 5/01/2019 | | 05 | 02/2019 | | 05/03/2019 | 05/04/2019 | - | 20 | | | | | | | |
| CHOC | DSE | | | | | | - | | _^ | | _ | 10 | | | | | | | |
| | | | | | | | S | ele | ect date or | | | 10 | | | | | | | |
| | | | | | | | disp | ens | ser to coll | ect | | 0 30/04 | 2019 01/05/2019 | 02/05/2019 03/05/201 | 9 04/05/2019 | 05/05/2019 0 | 6/05/2019 | 07/05/201 | 9 |
| | | | | | | | | | nformatior | | | Authent | icatio Hour | Type Device | Driver | Calibration Fa | ct Odometer | Pump Q | |
| | | | | | | | | | | _ | | 06/05/2019 | | | | | | | - |
| | | | | | | | | F | ILTER | | | 8 | 09:24 (UTC-10:00) | MC_AC1P_0002 | Armanoo | 1 | 602 Km | A | 10.24 |
| | | | | | | | _ | _ | | | | 8 | 09:24 (UTC-10:00) 09:24 | • MC_AC1P_0002 | Annunou | 1 | 8000 Km | A | 10.24 |
| | | | | | | | | | | | | 8 | 09:24 (UTC-10:00) 09:24 | • MC_AC1P_0002 | Armanov | 1 | 8000 Km | A | 10.24 |
| | | | | | | | | | | | | 8 | (UTC-10:00) 06:57 | • MC_AC1P_0002 | Armando | 1 | 9000 Km 90503 Km | A 1 | 0.24 L |
| | | | | | | | | | | | | 05/05/2019 | (UTC+02:00) | ML_AL1P_0002 | Giovanni Armando | , | 90503 Km | A 9. | .78 L |
| | | | | | | - | _ | | | | | Ģ | 18:42 (UTC+02:00) | | Christian Blanch | d 1 | | PUMP 9. | 9.99 L |
| | | | | | | | | | | | | A | 13:48 | TEST NOWE | Christian Blanch | 4 1 | 149815 | PUMP 9 | 691 |

REAL TIME: IMMEDIATELY RECEIVE ALL FEEDBACK FROM THE SITE

• One of the main features of PIUSI B.SMART is the **real time function** that allows you to keep track of all the transactions immediately*:



* Real time only in areas where WI-FI or mobile network is available. Otherwise, data will be synchronized once network is accessible.



HARDWARE DEVICES FOR PIUSI B.SMART



✻测

PIUSI B.SMART runs exclusively with the **dedicated MCBOX B.SMART** control unit:

Top performance and reliability, all from one supplier

Real time communication between the dispenser and the PC

Made in Italy; quality guaranteed by PIUSI

Enter the era of the SMART Fuel Management System simply upgrading your MC hardware with the NEW dedicated KIT UPGRADE and change the way you manage your fleet.





MCBOX B.SMART control panel to be used with the existing fueling equipment.





IT CAN CONTROL:

PUMP (UP TO 2 PUMPS)

PULSE METER

NOZZLE CONTACT



B.SMART ADDITIONAL FEATURES TANK WATCHDOG ADD-ON

B.SMART Tank Watchdog is the perfect add-on for a **complete and updated tank level control**. It allows you to:



TANK WATCHDOG

TANK LEVELS

Adding the level indicator OCIO, the system allows you to monitor the fluid level in **your tanks in real time** and **gives alarms in case of malfunction** or low levels. A perfect add-on for a complete and updated tank level control. You can connect also any 420 mA or O-10 V fluid gauge or run the system without any gauge **thanks** to the "virtual tank" option:

- Set level alarms and get notifications on the tank level
- Possibility to configure high level or low level alarms
- Stop the pump according to the level of the fluid
- Send an automatic e-mail to notify when you reach the level alarm set

B.SMART ADDITIONAL FEATURES TANK WATCHDOG ADD-ON

Monitor the tank level
(add fluid fills, usage and adjustments);
Set level alarms;

Manage suppliers;

Follow inventory price values and trends;

Access and download reports from anywhere.



TANK WATCHDOG

FLUID PRICE & VALUE

You can always have at your fingertips the fluid level value & fluid volume: you can **define the refuelling price** and **verify the current tank level value**:

- Manage suppliers of the fluids to keep track of the date, price and quantity bought
- Get real time data of the value of your fuel inventory

Follow fluid price trends

Access and download reports from any internet connected device thanks to the cloud software

| B.S | MART | | | | | | | | | |
|---------|--|------------|--|--|--|--|--|--|--|--|
| | LEVEL INDICATOR | | | | | | | | | |
| | Tanks Fluids Suppliers Prices trend Prefe | rences | | | | | | | | |
| IVERS | Select the transport assign 03/01/2020 - 03/31/2020 | | | | | | | | | |
| | | | | | | | | | | |
| ITE | 2.0 | | | | | | | | | |
| | 1.8 | | | | | | | | | |
| | 1.6 | | | | | | | | | |
| ATCHDOG | 1.4 | | | | | | | | | |
| | 1.2 | | | | | | | | | |
| | 1.0 | | | | | | | | | |
| | | | | | | | | | | |
| IMBER | 0.6 | | | | | | | | | |
| | 0.4 | | | | | | | | | |
| | 0 | | | | | | | | | |
| 2 | 02/29/2020 | 03/01/2020 | | | | | | | | |
| ORT | 0228/2020 | 0301/2020 | | | | | | | | |
| | Date | Unit Price | | | | | | | | |
| 8.). | Ellen Lawrence | | | | | | | | | |
| NGS | AdBlue | | | | | | | | | |
| | 03/03/2020 3:49 AM (UTC+00:00) | 1.28 C/L | | | | | | | | |
| | 02/29/2020 9:19 PM (UTC+03:00) | 1.68 €/L | | | | | | | | |
| | Diesel | | | | | | | | | |
| | 03/01/2020 2:46 AM (UTC+01:00) | 1,41 (C/L) | | | | | | | | |
| | 02/29/2020 9:19 PM (UTC+04:00) | 1.77 6/1 | | | | | | | | |
| | Gasoline | | | | | | | | | |

B.SMART ADDITIONAL FEATURES FUEL ECONOMY ADD-ON

Enhance your system and become even more **smart** with the **FUEL ECONOMY ADD-ON** for B.SMART! Thanks to this new module, you can now **completely manage and increase the profitability of your fleet**:

FUEL ECONOMY

FLEET MANAGEMENT & LIMITS

Thanks to this new add-on, you can:

- Add to the B.SMART WEB APP system all the vehicles of your fleet
- Group all the vehicles according to a specific and personalized setting

TIO

QR code

- Add to the WEB APP the images of your vehicles and drivers for a **quickest and easy identification**
- Set drivers and vehicles limits based on quantities or time frames

QR CODE IDENTIFICATION

The QR code allows to **identify immediately the vehicle with 100% certainty**: it saves time during the refuelling and reduces the risk of human error.

The QR label is sized to **PERFECTLY FIT ALL VEHICLES** and can be placed close to the tank. The extra-resistant adhesive glue and laser scratchproof engraving guarantee maximum durability over time.



B.SMART ADDITIONAL FEATURES FUEL ECONOMY ADD-ON

CONSUMPTION REPORT FOR EACH DRIVER

n 1.75 Km/2

tion 8.47 Km/L otion 120000 Km/L ± 108

and store prostor

CATERDARES Y COMPANIES Y DEVERS



FUEL ECONOMY

CONSUMPTIONS REPORT

Thanks to this new add-on, you can have detailed reports of:

- Fuel/AdBlue[®] dispenses
- Vehicles' consumptions, spotting deviations vs standard
- Drivers' consumption on vehicles, tracking the driving behaviour of the operator
- Spot drivers' high fuel consumption
- Add on-road transactions highlighting also fuel/AdBlue[®] costs and the service station used in order to have a complete overview on the trend/activities of both drivers and vehicles

PTIONS REPORT

eled Distance 2800 Km al Consumption 1.75 Km/L dard Consumption 10 Km/L ± 5

SPOT

Spot unexpected fuel consumptions by vehicle or driver.

B.SMART ADDITIONAL FEATURES MAPLY ADD-ON

Benefit from geolocation tracking and access control in an array of industries: construction, mining, excavation, drilling, landscaping, agriculture, and more.


- Reduce fuel waste
- Increase company profitability
- Monitor & control fuel dispensing

MAPLY

GEOLOCATION

Geolocate fuel transactions and display them on a map;

"report on map" gives an overview of fuel dispensing. Clicking on a fuel transaction you get all the relevant data (quantity, date, time, vehicle refuelled, etc.)





MAPLY

MANAGE FLUID HANDOVER FROM FIXED TO MOBILE TANKS

Automatically manage portable tank loads;

fuel transfer information will be managed inside the **B.Smart reporting system**, increasing information effectiveness. - Restrict the dispenser's area of use through **Geo-Fencing**;

- group fueling dispenses into defined areas (working areas) such as construction sites, mines or plots of land.

GROUP TRANSACTIONS

DISPENSING

TO MY COMPANY

TRANSFER

T OTHER

My Company

MAPLY

3rd PARTIES VEHICLES REFUELLING

Track fuel transactions on third-party vehicles;

possibility to send e-mail **notifications** and add operator's notes.

B.SMART Maply add-on is working both with AC and DC dispensers and with our PIUSI SUPREME pump once upgraded to B.SMART

PIUSI B.SMART PRODUCT RANGE

| PART NUMBER | DESCRIPTION | FLUIDS | F AC or DC V/Hz | EATURES Power Watt | Amp. Max. |
|---------------|--|--------|----------------------|-----------------------|-----------|
| AC VERSION | MCBOX B.SMART 2P CETL KEYPAD 50 ACCESS | Any | 100V-240V 50/60Hz | 5W | 15 A |

ACCESSORIES

| PAR | | DESCRIPTION |
|-----|--------------------|---|
| | ¥ FO0770D00 | DRIVER ACCESS (x5) |
| | Y FO0770D10 | DRIVER ACCESS (x15) |
| | ¥ F00770D20 | DRIVER ACCESS (x5O) |
| | ¥ F1590400A | USER KEY (Yellow key: 10 pcs) Emergency only |

| PART | NUMBER | DESCRIPTION |
|------|--------------------|---------------------------------|
| Ĵ |) F1270800C | PEDESTAL (Cube • MCBOX) |
| | Y R12737000 | KIT WALL SUPPORT (Cube • MCBOX) |



PIUSI B.SMART ADD-ON

TANK WATCHDOG ADD-ON

| PART | NUMBER | DESCRIPTION |
|--------|--------------------|--|
| + 0000 | ¥ FOO770L20 | B.SMART TANK WATCHDOG ADD-ON • ONE TIME FEE |
| | Y FO0755250 | LEVEL INDICATOR OCIO 2.0 · RS-485 120V - 50/60HZ |

FUEL ECONOMY ADD-ON

| PART | NUMBER | DESCRIPTION |
|------|--------------------|--|
| | ¥ FOO770F20 | B.SMART FUEL ECONOMY ADD-ON • ONE TIME FEE |
| 22 | F17299QOO | B.SMART FUEL ECONOMY • 45 QR CODES |

MAPLY ADD-ON

| PART | NUMBER | DESCRIPTION |
|------|--------------------|--|
| 0 | Y F00770M00 | B.SMART MAPLY ADD-ON • 1 YEAR |
| | Y FO0770M20 | B.SMART MAPLY ADD-ON • ONE TIME FEE |
| | Y FO0770K40 | KIT TANK WATCHDOG + FEM + MAPLY •1 YEAR |
| | ы роотток60 | KIT TANK WATCHDOG+FEM+MAPLY • ONE TIME FEE |



MADE IN ITALY

piusi.com/usa

PIUSI USA, Inc. • 3901 Anglers Ave Fort Lauderdale, FL 33312 tel. 954 584 1552 • fax 954 584 1554 • sales.usa@piusi.com